

## WEST Search History

Hide Items

Restore

Clear

Cancel

DATE: Thursday, April 26, 2007

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT; THES=ASSIGNEE; PLUR=NO; OP=OR</i>	
<input type="checkbox"/>	L53	L47 and (remov\$ or delet\$) same instal\$ same unuse\$	1
<input type="checkbox"/>	L52	L49 and (remov\$ or delet\$) same instal\$ same unuse\$	1
<input type="checkbox"/>	L51	L50 not l44	30
<input type="checkbox"/>	L50	L49 and virtual adj3 (device\$1 or driver\$1)	31
<input type="checkbox"/>	L49	L48 and (trap\$ or interrupt\$ or intercept\$)	198
<input type="checkbox"/>	L48	L47 and (remov\$ or delet\$) near3 device\$1	249
<input type="checkbox"/>	L47	L46 and poll\$ near3 device\$1	509
<input type="checkbox"/>	L46	(device adj driver\$1) and (type\$1 near3 device\$1)	11280
<input type="checkbox"/>	L45	L44 not l42	10
<input type="checkbox"/>	L44	L43 and (device adj driver\$1)	18
<input type="checkbox"/>	L43	trap\$ with ((input/output or i/o or io) adj port\$1)	72
<input type="checkbox"/>	L42	L41 not l37	8
<input type="checkbox"/>	L41	L39 and trap\$ with ((input/output or i/o or io) adj port\$1)	8
<input type="checkbox"/>	L40	L39 and trap\$	627
<input type="checkbox"/>	L39	L38 and (device adj driver\$1)	5607
<input type="checkbox"/>	L38	717/\$.ccls. or 718/\$.ccls. or 719/\$.ccls. or 709/\$.ccls.	75357
<input type="checkbox"/>	L37	L36 and identif\$ same interrogat\$	3
<input type="checkbox"/>	L36	L35 and (remov\$ or delet\$)	85
<input type="checkbox"/>	L35	l28 and (interrupt\$ or intercept\$) with (input/output or IO or I/O or port\$1)	125
<input type="checkbox"/>	L34	l28 and (interrupt\$ or intercept\$) same (input/output or IO or I/O or port\$1)	173
		<i>DB=USPT,PGPB; THES=ASSIGNEE; PLUR=NO; OP=OR</i>	
<input type="checkbox"/>	L33	('5062060' '5175855' '5307491' '5394519' '5418962' '5497494' '5511195' '5561791' '5581766' '5630076' '6052743' '6091430')![pn]	12
		<i>DB=PGPB,USPT; THES=ASSIGNEE; PLUR=NO; OP=OR</i>	
<input type="checkbox"/>	L32	L31 and trap\$ with port\$1	2
<input type="checkbox"/>	L31	L28 and poll\$	102
<input type="checkbox"/>	L30	L29 and poll\$	10
<input type="checkbox"/>	L29	L28 and (identif\$ near3 port\$1)	34
<input type="checkbox"/>	L28	L27 and (device adj driver\$1)	722
<input type="checkbox"/>	L27	(719/310,321,322,323,324,327)! [CCLS]	1949
<input type="checkbox"/>	L26	((DEVICE ADJ DRIVER\$1) and device\$1 and port\$1 and identif\$ and poll\$ and trap\$.clm.	1
<input type="checkbox"/>	L25	((DEVICE ADJ DRIVER\$1) and device\$1 and (different adj type\$1) and port\$1 and identif\$ and poll\$ and trap\$.clm.	0

*DB=PGPB,USPT; THES=ASSIGNEE; PLUR=YES; OP=OR*

<input type="checkbox"/>	L24	L23 NOT L16	18
<input type="checkbox"/>	L23	L22 AND DEVICE ADJ DRIVER\$1	20
<input type="checkbox"/>	L22	L21 AND PCI	36
<input type="checkbox"/>	L21	L20 AND BIOS	53
<input type="checkbox"/>	L20	L19 AND TRAP\$ WITH (PORT\$1 OR INPUT\$ OR I/O)	71
<input type="checkbox"/>	L19	L18 and VGA	3836
<input type="checkbox"/>	L18	719/\$.ccls. or 715/\$.ccls. or 345/\$.ccls. or 710/\$.ccls.	124639
<input type="checkbox"/>	L17	L16 not L15	4
<input type="checkbox"/>	L16	L14 and interrogat\$	6
<input type="checkbox"/>	L15	L14 and trap\$	3
<input type="checkbox"/>	L14	L13 and (common near4 type\$1)	26
<input type="checkbox"/>	L13	L12 and (device adj type\$1)	247
<input type="checkbox"/>	L12	L11 and (device adj driver\$1)	1377
<input type="checkbox"/>	L11	L10 or L9 or L8	5204
<input type="checkbox"/>	L10	(345/593)! [CCLS]	297
<input type="checkbox"/>	L9	(710/10  710/12  710/15  710/23  710/36  710/8)! [CCLS]	3998
<input type="checkbox"/>	L8	(719/321  719/322  719/323  719/324  719/325  719/326  719/327)! [CCLS]	1027

*DB=USPT,PGPB; THES=ASSIGNEE; PLUR=YES; OP=OR*

<input type="checkbox"/>	L7	('4990904'  '4991085'  '5072411'  '5138706'  '5150109'  '5257387'  '5263148'  '5313592')! [pn]	8
--------------------------	----	--	---

*DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR*

<input type="checkbox"/>	L6	L4 or L3	3
<input type="checkbox"/>	L5	L4 and (device adj driver\$1)	1
<input type="checkbox"/>	L4	5394519.PN.	1
<input type="checkbox"/>	L3	L2 and (device adj driver\$1)	2
<input type="checkbox"/>	L2	(5418962 or 5175855).PN.	2
<input type="checkbox"/>	L1	6760784.PN.	1

END OF SEARCH HISTORY

☐ Search Results

## BROWSE

## SEARCH

## IEEE XPLORE GUIDE

## SUPPORT

Results for "'( 'device driver'&lt;in&gt;ti)'"

Your search matched **22** of **1557368** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.
 e-mail
  printer friendly

## » Search Options

[View Session History](#)[New Search](#)

## » Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

## Modify Search

 
☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract
 [Select All](#) [Deselect All](#)

- ☐ 1. **Priority queue-based IEEE1394 device driver supporting real-time characteristics**  
Hyo-Sang Lim; Dong-Hwan Park; Soon-Ju Kang; Bong-Jin Oh;  
[Consumer Electronics, IEEE Transactions on](#)  
Volume 46, Issue 3, Aug. 2000 Page(s):825 - 833  
Digital Object Identifier 10.1109/30.883455  
[AbstractPlus](#) | Full Text: [PDF\(656 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 2. **Modeling Device Driver Effects in Real-Time Schedulability Analysis: Study of a Network Driver**  
Mark Lewandowski; Mark J. Stanovich; Theodore P. Baker; Kartik Gopalan; An-I Andy Wang;  
[Real Time and Embedded Technology and Applications Symposium, 2007. RTAS '07. 13th IEEE](#)  
April 2007 Page(s):57 - 68  
Digital Object Identifier 10.1109/RTAS.2007.18  
[AbstractPlus](#) | Full Text: [PDF\(389 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ 3. **Code generation for Linux device driver**  
Yong Hoon Choi; Woo Il Kwon; Heung Nam Kim;  
[Advanced Communication Technology, 2006. ICACT 2006. The 8th International Conference](#)  
Volume 1, 20-22 Feb. 2006 Page(s):4 pp.  
[AbstractPlus](#) | Full Text: [PDF\(3736 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ 4. **Research and Implementation of Zero-Copy Technology Based on Device Driver in Linux**  
Hongfeng Zhu; Tianhua Liu; Chuansheng Zhou; Guiran Chang;  
[Computer and Computational Sciences, 2006. IMSCCS '06. First International Multi-Symposiums on](#)  
Volume 2, 20-24 April 2006 Page(s):129 - 134  
Digital Object Identifier 10.1109/IMSCCS.2006.256  
[AbstractPlus](#) | Full Text: [PDF\(192 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ 5. **Accurate friction compensation for precision stage using synchronous piezoelectric device driver**  
Truong Ngoc Minh; Ohishi, K.; Takata, M.; Hashimoto, S.; Kosaka, K.; Kubota, H.; Ohmi, T.;  
[Advanced Motion Control, 2006. 9th IEEE International Workshop on](#)  
March 2006 Page(s):109 - 114  
Digital Object Identifier 10.1109/AMC.2006.1631642  
[AbstractPlus](#) | Full Text: [PDF\(322 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

**6. Using device driver software in SCADA systems**

Wu Sitao; Qian Qingquan;  
Power Engineering Society Winter Meeting, 2000. IEEE  
Volume 3, 23-27 Jan. 2000 Page(s):2046 - 2049 vol.3  
Digital Object Identifier 10.1109/PESW.2000.847668  
[AbstractPlus](#) | Full Text: [PDF\(236 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

**7. UML for real-time device driver development**

Sertic, H.; Rus, F.; Rac, R.;  
Telecommunications, 2003. ConTEL 2003. Proceedings of the 7th International Conference on  
Volume 2, 11-13 June 2003 Page(s):631 - 636 vol.2  
Digital Object Identifier 10.1109/CONTEL.2003.1215882  
[AbstractPlus](#) | Full Text: [PDF\(500 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

**8. DMD: network device driver architecture for high-performance systems**

Andjelic, M.;  
Telecommunications, 2003. ConTEL 2003. Proceedings of the 7th International Conference on  
Volume 2, 11-13 June 2003 Page(s):625 - 630 vol.2  
Digital Object Identifier 10.1109/CONTEL.2003.1215881  
[AbstractPlus](#) | Full Text: [PDF\(418 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

**9. RT-WLAN: a soft real-time extension to ORinOCO Linux device driver**

Jain, A.; Qiao, D.; Shin, K.G.;  
Personal, Indoor and Mobile Radio Communications, 2003. PIMRC 2003. 14th IEEE  
Proceedings on  
Volume 2, 7-10 Sept. 2003 Page(s):1434 - 1440 vol.2  
Digital Object Identifier 10.1109/PIMRC.2003.1260350  
[AbstractPlus](#) | Full Text: [PDF\(600 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

**10. Evaluation of applying SpecC to the integrated design method of device driver and device**

Honda, S.; Takada, H.;  
Design, Automation and Test in Europe Conference and Exhibition, 2003  
2003 Page(s):138 - 143 suppl.  
Digital Object Identifier 10.1109/DATE.2003.1186685  
[AbstractPlus](#) | Full Text: [PDF\(389 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

**11. Evaluation of applying specC to the integrated design method of device driver and device**

Honda, S.; Takada, H.;  
Design, Automation and Test in Europe Conference and Exhibition, 2003  
2003 Page(s):138 - 143  
Digital Object Identifier 10.1109/DATE.2003.1253819  
[AbstractPlus](#) | Full Text: [PDF\(389 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

**12. An automatic detergent blending system based on virtual x device driver**

Jiang, X.; Wang, L.; Chen, Y.;  
Industrial Technology, 2002. IEEE ICIT '02. 2002 IEEE International Conference on  
Volume 2, 11-14 Dec. 2002 Page(s):810 - 814 vol.2  
Digital Object Identifier 10.1109/ICIT.2002.1189271  
[AbstractPlus](#) | Full Text: [PDF\(322 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

**13. Prototype of the device driver generation system for UNIX-like operating systems**

Katayama, T.; Saisho, K.; Fukuda, A.;  
Principles of Software Evolution, 2000. Proceedings. International Symposium on

1-2 Nov 2000 Page(s):302 - 310

Digital Object Identifier 10.1109/ISPSE.2000.913251

[AbstractPlus](#) | Full Text: [PDF](#)(568 KB) IEEE CNF  
[Rights and Permissions](#)

14. **IEEE1394 OHCI device driver architecture for guarantee real-time requirement**

Dong-Hwan Park; Soon-Ju Kang;

Real-Time Computing Systems and Applications, 2000. Proceedings. Seventh International Conference on

12-14 Dec. 2000 Page(s):389 - 393

Digital Object Identifier 10.1109/RTCSA.2000.896416

[AbstractPlus](#) | Full Text: [PDF](#)(540 KB) IEEE CNF  
[Rights and Permissions](#)

15. **Priority queue-based IEEE 1394 device driver for supporting real-time characteristics**

Hyo-Sang Lim; Dong-Hwan Park; Soon-Ju Kang; Pong-Jin Oh;

Consumer Electronics, 2000. ICCE, 2000 Digest of Technical Papers. International Conference on

13-15 June 2000 Page(s):198 - 199

Digital Object Identifier 10.1109/ICCE.2000.854582

[AbstractPlus](#) | Full Text: [PDF](#)(208 KB) IEEE CNF  
[Rights and Permissions](#)

16. **Windows NT device driver design in a multi-link translator and display system**

Ho, H.T.;

Military Communications Conference Proceedings, 1999. MILCOM 1999. IEEE

Volume 2, 31 Oct.-3 Nov. 1999 Page(s):1277 - 1281 vol.2

Digital Object Identifier 10.1109/MILCOM.1999.821409

[AbstractPlus](#) | Full Text: [PDF](#)(316 KB) IEEE CNF  
[Rights and Permissions](#)

17. **Proposal of a support system for device driver generation**

Katayama, T.; Saisho, K.; Fukuda, A.;

Software Engineering Conference, 1999. (APSEC '99) Proceedings. Sixth Asia Pacific

7-10 Dec. 1999 Page(s):494 - 497

Digital Object Identifier 10.1109/APSEC.1999.809641

[AbstractPlus](#) | Full Text: [PDF](#)(264 KB) IEEE CNF  
[Rights and Permissions](#)

18. **Operating system sensitive device driver synthesis from implementation independent protocol specification**

O'Nils, M.; Jantsch, A.;

Design, Automation and Test in Europe Conference and Exhibition 1999. Proceedings

9-12 March 1999 Page(s):562 - 567

Digital Object Identifier 10.1109/DATE.1999.761183

[AbstractPlus](#) | Full Text: [PDF](#)(64 KB) IEEE CNF  
[Rights and Permissions](#)

19. **Interfacing existing medical monitoring equipment: a device driver approach**

van Oostrom, J.H.; Schwab, W.; van der Aa, J.J.; Gibby, G.L.;

Engineering in Medicine and Biology Society, 1995. IEEE 17th Annual Conference

Volume 1, 20-23 Sept. 1995 Page(s):753 - 754 vol.1

Digital Object Identifier 10.1109/IEMBS.1995.575346

[AbstractPlus](#) | Full Text: [PDF](#)(212 KB) IEEE CNF  
[Rights and Permissions](#)

20. **A non-stop updating technique for device driver programs on the IROS platform**

Araki, H.; Futagami, S.; Nitoh, K.;

Communications, 1995. ICC 95 Seattle, Gateway to Globalization, 1995 IEEE International Conference on

Volume 1, 18-22 June 1995 Page(s):88 - 92 vol.1

Digital Object Identifier 10.1109/ICC.1995.525144

[AbstractPlus](#) | Full Text: [PDF](#)(384 KB) IEEE CNF

[Rights and Permissions](#)

- ┌ **21. on object oriented device driver model**  
Lemon, S.; Rossi, K.;  
[Compcon '95. Technologies for the Information Superhighway', Digest of Papers.](#)  
5-9 March 1995 Page(s):360 - 366  
Digital Object Identifier 10.1109/CMPCON.1995.512409  
[AbstractPlus](#) | Full Text: [PDF](#)(588 KB) IEEE CNF  
[Rights and Permissions](#)
- ┌ **22. On performance measurements of TCP/IP and its device driver**  
Jau Hsiung Huang; Chi-Wen Chen;  
[Local Computer Networks, 1992. Proceedings., 17th Conference on](#)  
13-16 Sept. 1992 Page(s):568 - 575  
Digital Object Identifier 10.1109/LCN.1992.228142  
[AbstractPlus](#) | Full Text: [PDF](#)(484 KB) IEEE CNF  
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

Indexed by  
 Inspec<sup>®</sup>

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about 48,800 for "**device driver**" and **poll and trap** . (0.23 seconds)

### Writing a SCSI Device Driver(IM: D)

If the **trap** exists, the driver can pass the SCSI ID of its device to the SCSIGetVirtualIDInfo ... where code is provided to **poll** the SCSI interrupt sources. ...  
developer.apple.com/documentation/mac/Devices/Devices-154.html - 20k -  
[Cached](#) - [Similar pages](#)

### Device Manager Parameter Block(IM: D)

You can **poll** this field to detect when the driver has completed the request and to determine its ... The meaning of this field depends on the **device driver**. ...  
developer.apple.com/documentation/mac/Devices/Devices-19.html - 16k -  
[Cached](#) - [Similar pages](#)  
[ [More results from developer.apple.com](#) ]

### Device Polling support for FreeBSD

2002) work I have done to implement polling **device driver** support in FreeBSD. ... already in the right context (e.g. handling a timer interrupt, or a **trap**). ...  
info.iet.unipi.it/~luigi/polling/ - 23k - [Cached](#) - [Similar pages](#)

### DNIX - Wikipedia, the free encyclopedia

To aid in this, it was possible to **poll** both request and **trap** queues to see if there was more ... This was done in the filesystem and not the **device driver**, ...  
en.wikipedia.org/wiki/DNIX - 46k - [Cached](#) - [Similar pages](#)

### Contents

... tpf\_itrpc-Send Simple Network Management Protocol User **Trap** - tpf\_lemic - Lock ... TPF\_FSDD\_POLL\_CLEAN-Select or **Poll** Cleanup of an Open File Descriptor ...  
publib.boulder.ibm.com/infocenter/tpfhelp/current/topic/com.ibm.tpf.doc\_put.20.1/gtpc2/gtpc2m02.htm - 87k -  
[Cached](#) - [Similar pages](#)

### [PDF] AMD Geode CS5536 Companion Device Silicon Revision B1 ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
Resolution: An SMI I/O **trap** can be setup for the. ACPI defined registers. This **trap** can control ... Resolution: The **device driver** should **poll** the S-bit ...  
www.amd.com/files/connectivitysolutions/geode/geode\_gx/34472D\_CS5536\_B1\_specupdate.pdf - [Similar pages](#)

### [PDF] Low-Latency Communication over Fast Ethernet

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
to be implemented in the kernel: a **device driver** and a special **trap** are used to safely ... **poll** demand (i.e. towards the end of segment 5 in the figure). ...  
www.eecs.harvard.edu/~mdw/papers/euopar.pdf - [Similar pages](#)

### SMIT Help Information for Ethernet Adapters

A **trap** is an unsolicited SNMP protocol data unit (PDU) that the agent ... Select "Yes" to cause the **device driver** to **poll** the adapter to determine the ...  
cgi.ncsa.uiuc.edu/.../Hardware/IBMp690/IBM/usr/share/man/info/en\_US/a\_doc\_lib/aixhelp/smithelp/smit\_eth.htm - 60k -  
[Cached](#) - [Similar pages](#)

### Apollo Workstations - DEX example

(Y, N) : y y %"WIN7B" - **Device driver** not loaded (Exec/AUTO Cmd) %"FLP7" ...  
**Poll** PICs with all IRQ inputs masked. Test for no interrupts with all IRQ ...  
www.hunkler.com/aegis/aegis\_dex.htm' - 23k - [Cached](#) - [Similar pages](#)

### Linux Device Drivers, 2nd Edition: Chapter 5: Enhanced Char Driver ...

The 2.0 kernel did not support the **poll** system call; only the BSD-style select call was available. The corresponding **device driver** method was thus called ...  
www.xml.com/ldd/chapter/book/ch05.html - 161k - [Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

 [Google](#)

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

## Web

Results 11 - 20 of about 48,800 for "**device driver**" and **poll** and **trap**. (0.10 seconds)

### [Erlang-questions By Thread](#)

<Possible follow-up(s)>; Re: can erlang code talk directly with **device driver** ?,

Haber, Bryan. SMP and kernel **poll**, Serge Aleynikov ...

[www.erlang.org/ml-archive/erlang-questions/200607/threads.html](http://www.erlang.org/ml-archive/erlang-questions/200607/threads.html) - 42k -

[Cached](#) - [Similar pages](#)

### [Chapter 7. Structure of a Kernel-Level Driver](#)

Much of the complexity of **poll()** is handled by the IRIX kernel, but the kernel requires the assistance of any **device driver** that supports **poll()**. ...

[biology.ncsa.uiuc.edu/library/SGI\\_bookshelves/](http://biology.ncsa.uiuc.edu/library/SGI_bookshelves/)

[SGI\\_Developer/books/DevDriver\\_PG/cgi\\_html/ch07.html](http://SGI_Developer/books/DevDriver_PG/cgi_html/ch07.html) - 159k -

[Cached](#) - [Similar pages](#)

### [Documentation](#)

When the Transmit Platform Event **Trap** (PET) Messages check box is not checked,

... Driver Interface — The type of **device driver** interface for the network ...

[support.dell.com/support/edocs/network/P46150/en/index.htm](http://support.dell.com/support/edocs/network/P46150/en/index.htm) - 30k -

[Cached](#) - [Similar pages](#)

### [\[PDF\] Xitron Raster Blaster Linotronic Device Driver Manual Overview ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

information from the imaging engine, it is necessary to **poll** the engine periodically

while ... Illegal **Trap** Error. Illegal **Trap** Error. Privilege Violation ...

[www.xitron.com/Support/Doco/Raster%20Blaster/RB%20-%20Lino.pdf](http://www.xitron.com/Support/Doco/Raster%20Blaster/RB%20-%20Lino.pdf) -

[Similar pages](#)

### [Browse :: The Register Books - IT and Computer Book specialists](#)

An Introduction to Device Drivers The Role of the **Device Driver** Splitting the

Kernel ... Advanced Char Driver Operations ioctl Blocking I/O **poll** and select ...

[books.theregister.co.uk/catalog/browse.asp?](http://books.theregister.co.uk/catalog/browse.asp?)

[id=718975&group=9061&subcat=1&cat=B](#) - 21k - [Cached](#) - [Similar pages](#)

### [#106542-43: SunOS 5.7 x86: Kernel Update Patch](#)

SEVERR on E-10000 4193748 BAD **TRAP** panic in strlen() 4203989 ypserv on

SS20 ... However, if a third party **device driver** is added to the system by the end ...

[sunsolve.sun.com/search/document.do?assetkey=urn:cds:docid:1-21-106542-43-1](http://sunsolve.sun.com/search/document.do?assetkey=urn:cds:docid:1-21-106542-43-1) -

89k - [Cached](#) - [Similar pages](#)

### [COEN 177: I/O](#)

Kernel handles **trap** and calls **device driver's** `d_read(device_num, uio struct)`.

`D_read()` calls `l_read()` of line discipline associated with `device_num`. ...

[www.cse.scu.edu/~jnoll/177/notes/io.html](http://www.cse.scu.edu/~jnoll/177/notes/io.html) - 20k - [Cached](#) - [Similar pages](#)

### [Bookpool: Linux Device Drivers, 3rd Edition](#)

Locking **Traps** Alternatives to Locking Quick Reference. 6. Advanced Char Driver

Operations. ioctl Blocking I/O **poll** and select Asynchronous Notification ...

[www.bookpool.com/sm/0596005903](http://www.bookpool.com/sm/0596005903) - 13k - [Cached](#) - [Similar pages](#)

### [Kernel API changes from 2.0 to 2.2](#)

As a **device driver** writer, you don't care about file positions, so you could ignore

this ... In kernel 2.2, drivers must provide the **poll()** method instead, ...

[www.atnf.csiro.au/~rgooch/linux/docs/porting-to-2.2.html](http://www.atnf.csiro.au/~rgooch/linux/docs/porting-to-2.2.html) - 12k -

[Cached](#) - [Similar pages](#)

### [United States Patent: 5832513](#)

The **device driver** stack 78 implements a stack of **device driver** calling ... 82 to **trap**

a particular service provided by the input/output supervisor 74, ...

[service1.symantec.com/.../0/083EAD4CC36B033188256DF7005D6C6E/](http://service1.symantec.com/.../0/083EAD4CC36B033188256DF7005D6C6E/)

[\\$FILE/United%20States%20Patent%205,832,513.htm](#) - 53k - [Cached](#) - [Similar pages](#)



Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 21 - 30 of about 48,800 for "**device driver**" and **poll** and **trap** . (0.17 seconds)

[PDF] [KwikNet Device Driver Technical Reference Manual](#)

File Format: PDF/Adobe Acrobat

A **device driver** may have to **poll** a device waiting for completion of an ... processor interrupt (sometimes called an exception or **trap**) is generated even ...  
[kadak.com/manual/kwiknet/knet\\_ddm.pdf](#) - [Similar pages](#)

[Extendible and portable network protocol based system management ...](#)

The activate **trap** module 34-40 when started up or activated, builds a **trap poll** item and queues it in the timeout **poll** list 34-42. Information in this list ...  
[www.patentstorm.us/patents/6104868-description.html](#) - 86k -  
Cached - [Similar pages](#)

[I/O History - Mark Smotherman](#)

Programs running on the CPU could **poll** the output mailbox; otherwise, ... The **device driver** on the AP formatted a reply message from the I/O buffers in its ...  
[www.cs.clemson.edu/~mark/io\\_hist.html](#) - 43k - Cached - [Similar pages](#)

[PDF] [Review: Hardware user/kernel boundary](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**Device driver** provides several entry points to. kernel. - Reset, output, interrupt, . ...  
Or schedule **poll** if future and do something else, but then ...  
[www.scs.stanford.edu/nyu/04sp/notes/l8.pdf](#) - [Similar pages](#)

[Extendible and portable network protocol based system management ...](#)

The method of claim 30 wherein setting the MIB user **trap poll** value to zero ...  
network operating system specific **device driver** interface to interface with ...  
[www.freepatentsonline.com/6104868.html](#) - 129k - Cached - [Similar pages](#)

[PDF] [BSP and Device Driver Development Guide](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**trap** handlers for alignment or floating point exceptions or device drivers for ... **poll** intr. is either INTR MODE or POLLED MODE to indicate how the node ...  
[www.rtems.com/onlinedocs/releases/4.5.1-pre3/rtemsdoc/pdf/bsp\\_howto.pdf](#) -  
[Similar pages](#)

[PDF] [BSP and Device Driver Development Guide](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**trap** handlers for alignment or floating point exceptions or device drivers for peripheral ... Only PIO mode is supported but both **poll** and interrupt driven ...  
[www.rtems.com/onlinedocs/releases/rtemsdocs-4.6.5/share/rtems/pdf/bsp\\_howto.pdf](#)  
- [Similar pages](#)  
[ More results from [www.rtems.com](#) ]

[Linux Knowledge Base and Tutorial](#)

The **device driver** s can either **poll** the device or they can use interrupts. ... This can also occur as the result of exceptions and **traps**. ...  
[www.linux-tutorial.info/modules.php?name=Tutorial&pageid=270](#) - 27k -  
Cached - [Similar pages](#)

[PS] [1 Introduction](#)

File Format: Adobe PostScript - [View as Text](#)

(This process is similar to that of an interrupt-driven **device driver**, the ... haustive proling that throughput was limited almost entirely by the **trap** ...  
[www.netlib.org/tennessee/ut-cs-95-277.ps](#) - [Similar pages](#)

[PDF] [The Linux Kernel](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**Trap**. Operating Systems: A Modern Perspective, Chapter 20. Slide 20-8 ... **Device Driver**. **Device Driver**. File Manager. struct file\_operations ...  
[www.spelman.edu/~compsci/cis343/Chap20.pdf](#) - [Similar pages](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

## Web

Results 31 - 40 of about 48,800 for "[device driver](#)" and [poll](#) and [trap](#) . (0.16 seconds)

[000:001 Process has aborted 000:002 \(S\\$Abort signal\) Keyboard Quit ...](#)

The user **trap** code specified to TLink is invalid or already in use. ... or if a **device**

**driver** doesn't specify any static storage requirements. ...

[delphiwww.cern.ch/stc/testbeam/errmsg.txt](#) - 14k - [Cached](#) - [Similar pages](#)

[Proposals: Console daemons for Linux](#)

The "frame buffer" **device driver** is responsible for handling cleanup of the ... in order to turn on the display when a kernel **trap** report is displayed. ...

[homepages.tesco.net/J.deBoynePollard/Proposals/linux-console-daemon.html](#) - 37k

- [Cached](#) - [Similar pages](#)

[Book Detail: Linux Device Drivers, 3rd Edition - Bookware ...](#)

Locking **Traps**. Alternatives to Locking. Quick Reference 6. Advanced Char Driver

Operations. ioctl. Blocking I/O. **poll** and select. Asynchronous Notification ...

[www.bookware.com.au/cgi-bin/bookware/0596005903](#) - 25k -

[Cached](#) - [Similar pages](#)

[\[PDF\] IRIX™ Device Driver Programming Guide](#)

File Format: PDF/Adobe Acrobat

process data that it must **trap** on context switches, for user. page tables (memory map), ... **poll**. A character **device driver** may include a drv. **poll** ...

[www.techpubs.sgi.com/library/manuals/0000/007-0911-050/pdf/007-0911-050.pdf](#) -

[Similar pages](#)

[Erlang-questions By Date](#)

Re: can erlang code talk directly with **device driver** ? From: "Only OpenSource".

SMP and kernel **poll**. From: Serge Aleynikov ...

[www.erlang.org/ml-archive/erlang-questions/200607/maillist.html](#) - 68k -

[Cached](#) - [Similar pages](#)

[\[PS\] BSP and Device Driver Development Guide](#)

File Format: Adobe PostScript - [View as Text](#)

**trap** handlers for alignment or oating point exceptions or device drivers for ... **poll**

intr. is either INTR MODE or POLLED MODE to indicate how the node ...

[www.rtems.org/onlinedocs/releases/4.5.0/rtemsdoc-](#)

[4.5.0/share/rtemsdoc/ps/bsp\\_howto.ps](#) - [Similar pages](#)

[\[PS\] BSP and Device Driver Development Guide](#)

File Format: Adobe PostScript - [View as Text](#)

**trap** handlers for alignment or oating point exceptions or device drivers for

peripheral ... Only PIO mode is supported but both **poll** and interrupt driven ...

[www.rtems.org/onlinedocs/releases/rtemsdocs-4.6.4/share/rtems/ps/bsp\\_howto.ps](#) -

[Similar pages](#)

[Microsoft Device Drivers Development - Driver design thoughts](#)

driver would not be a real "**device driver**" representing any device, but ... signals,

and wrote a driver to **trap** it, you could probably get your time ...

[www.codecomments.com/archive421-2005-10-647585.html](#) - 17k -

[Cached](#) - [Similar pages](#)

[Quadrics . Support . QsNetKernelPatches](#)

The RMS job control system and also the QsNet **device driver** make use of a ... an

illegal instruction in order to generate a device **trap** and interrupt. ...

[web1.quadrics.com/website/newpages/03QsNetKernelPatches.html](#) - 7k -

[Cached](#) - [Similar pages](#)

[\[PDF\] Device Driver Reference](#)

File Format: PDF/Adobe Acrobat

snmp **trap** create" command has been seen to generate multiple configuration.

statements. ... be setup to run as often as you **poll** devices on your network. ...

[www.cisco.com/application/pdf/en/us/guest/](#)

[products/ps7187/c1225/ccmigration\\_09186a008081521a.pdf](#) - [Similar pages](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)  
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 1 - 10 of about 836 for "**device driver**" and "**input/output ports**". (0.18 seconds)[R.T.Russell: BBC BASIC for Windows](#)

WINIO is a special **device driver** which can be used to access **input/output ports** from BBC BASIC for Windows. WINIO is a third-party product (see ...  
[www.bbcbasic.co.uk/bbcwin/manual/bbcwinf.html](http://www.bbcbasic.co.uk/bbcwin/manual/bbcwinf.html) - 23k - [Cached](#) - [Similar pages](#)

[What Is a Device Driver?](#)

A **device driver** is a component that Windows uses to provide I/O services for and ...  
(for example, **input/output ports** [I/O], interrupt requests [IRQs], ...  
[technet2.microsoft.com/windowsserver/en/library/2dcda80d-3e11-4350-aaca-17d6d1293afa1033.mspx](http://technet2.microsoft.com/windowsserver/en/library/2dcda80d-3e11-4350-aaca-17d6d1293afa1033.mspx) - 16k - [Cached](#) - [Similar pages](#)

[Device Management Technologies](#)

For example, the HAL implements a routine to map each **device driver's** ... by each device (for example, **input/output ports** [I/O], interrupt requests [IRQs], ...  
[technet2.microsoft.com/WindowsServer/en/library/adfc5b1c-4105-47a6-8388-de92891e8d0a1033.mspx](http://technet2.microsoft.com/WindowsServer/en/library/adfc5b1c-4105-47a6-8388-de92891e8d0a1033.mspx) - 29k - [Cached](#) - [Similar pages](#)  
[ [More results from technet2.microsoft.com](#) ]

[\[PDF\] DACSIM: A DATA ACQUISITION CARD SIMULATOR](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
simulator using the **input/output ports**. • Data acquisition card simulator, that receives the data sent through the ports from the virtual **device driver** ...  
[personales.upv.es/scoll/papers/paris04.pdf](http://personales.upv.es/scoll/papers/paris04.pdf) - [Similar pages](#)

[Chapter 8 Input/Output](#)

... used to address the **input/output ports** that are used for external 16 devices. ... A task whose primary function is to perform I/O (a **device driver**) can ...  
[www.online.ee/~andre/i80386/Chap8.html](http://www.online.ee/~andre/i80386/Chap8.html) - 14k - [Cached](#) - [Similar pages](#)

[How to manage devices in Windows XP](#)

... channels, **input/output ports** (I/O ports), interrupt request (IRQ), ... Windows XP provides this roll back to a previous, working, **device driver**: ...  
[support.microsoft.com/kb/283658](http://support.microsoft.com/kb/283658) - [Similar pages](#)

[US 7102252 B2 Multi-function solid-state switch Jeffrey J Bertrand ...](#)

a solid state switching **device driver** circuit having a first input node ... a first current flow path between said first and second **input/output ports**, ...  
[www.uspto.gov/web/patents/patog/week36/OG/html/1310-1/US07102252-20060905.html](http://www.uspto.gov/web/patents/patog/week36/OG/html/1310-1/US07102252-20060905.html) - 6k - [Cached](#) - [Similar pages](#)

[Software Prof. Dr.-Ing. Werner Zimmermann](#)

CrackNT consists of a Windows kernel mode **device driver** and a DLL to enable ... 2000 or XP to access **input / output ports** and physical memory addresses. ...  
[www.it.fht-esslingen.de/~zimmerma/software/index\\_uk.html](http://www.it.fht-esslingen.de/~zimmerma/software/index_uk.html) - 2k - [Cached](#) - [Similar pages](#)

[VideoBSD](#)

The hardware side will only interest **device driver** writers. ... This device may have multiple **input/output ports**, but can be logically separately operated ...  
[people.freebsd.org/~jmg/videobsd.html](http://people.freebsd.org/~jmg/videobsd.html) - 20k - [Cached](#) - [Similar pages](#)

[Hardware is from Mars; Software is from Venus > Hardware Interfaces](#)

A **device driver** takes a set of standardized commands from the operating ...  
**input/output ports** act like a second set of pigeon holes on the other side of ...  
[www.quepublishing.com/articles/article.asp?p=31697&seqNum=5](http://www.quepublishing.com/articles/article.asp?p=31697&seqNum=5) - 38k - [Cached](#) - [Similar pages](#)

Result Page:    [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)    [Next](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

## Web

Results 11 - 20 of about 885 for "**device driver**" and "**input/output ports**". (0.13 seconds)

[EP287301 Tandem european software patent - Input/output system for ...](#)  
... least two system buses (35) and a plurality of peripheral **input/output ports**, ...  
**device driver** means for controlling peripheral devices coupled to said ...  
[gauss.ffii.org/PatentView/EP287301 - 83k - Cached - Similar pages](#)

### [How To Manage Devices in Windows Server 2003](#)

An icon appears next to a **device driver** that is digitally signed. ... The resources are direct memory access (DMA) channels, **input/output ports** (I/O ports), ...  
[support.microsoft.com/kb/317498 - Similar pages](#)

[Download Shuttle XPC Barebone SD32G2 BIOS sd32s10d Driver for ...](#)  
optional optical SPDIF **input/output ports** (PC17) \* Other connectors ... Try to set a system restore point before installing a **device driver**. ...  
[drivers.softpedia.com/get/BIOS/Shuttle/Shuttle-XPC-Barebone-SD32G2-BIOS-sd32s10d.shtml - 61k - Apr 25, 2007 - Cached - Similar pages](#)

### [EE319K Introduction to Microcontrollers](#)

10/13, Sections 5.1-5.3,, aLec17, Serial **input/output ports**. 10/16, Sections 5.1-5.3,, aLec18, **device driver**, Serial **input/output ports** ...  
[users.ece.utexas.edu/~valvano/EE319KF06.html - 36k - Cached - Similar pages](#)

### [ScienceDirect - Nuclear Instruments and Methods in Physics ...](#)

... interfaces with the electronics engineers/**device driver** programmers who ... that a computer I/O board may consist of digital/analog **input/output ports**. ...  
[linkinghub.elsevier.com/retrieve/pii/S0168583X05013455 - Similar pages](#)

### [Intel® Pocket Concert™ Audio Player - Troubleshooting USB ...](#)

This may be found under the **Input/Output Ports** configuration menu or the ... with the USB port enabled, the Update Hardware **Device Driver Wizard** launches. ...  
[www.intel.com/support/peripherals/audioplayer/pconcert/sb/cs-014107.htm - 27k - Cached - Similar pages](#)

### [\[PDF\] LatticeMico32 GPIO](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
independent **input/output ports**, the number of input ports can be different ... The GPIO **device driver** registers GPIO instances with the LatticeMico32 ...  
[www.latticesemi.com/dynamic/view\\_document.cfm?document\\_id=21614 - Similar pages](#)

### [PC Interfacing and Data Acquisition: techniques for measurement, ... - Google Books Result](#)

by Kevin James - 2000 - 448 pages  
... they have to be managed by some form of **device driver**. ... 1.4 **Input/output ports** In addition to its memory, the PC has another entirely separate ...  
[books.google.com/books?isbn=0750646241...](#)

### [\[PDF\] Process Subsystem Architecture for Virtual Manufacturing ...](#)

File Format: PDF/Adobe Acrobat  
Key to a reliable virtual **device driver** is the use ... from the virtual or real **device driver**. This data ... The material **input/output ports** of the ...  
[ieeexplore.ieee.org/iel3/3678/10817/00506518.pdf?arnumber=506518 - Similar pages](#)

### [Input/output system for multiprocessors - Patent 4821170](#)

**device driver** means for controlling peripheral devices coupled to said SCSI ... at least two system buses and a plurality of peripheral **input/output ports**, ...  
[www.freepatentsonline.com/4821170.html - 79k - Cached - Similar pages](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 21 - 30 of about 885 for "[device driver](#)" and "[input/output ports](#)". (0.09 seconds)

[Smart Computing Article - Hardware & Software Installation](#)

... I/O ([input/output](#)) ports to use or determine what memory space is needed. ...

Click the Update Driver button to start the Upgrade **Device Driver** Wizard ...

[www.smartcomputing.com/editorial/article.asp?article=articles/archive/r0702/28r02/48r02.asp&guid=-37k](http://www.smartcomputing.com/editorial/article.asp?article=articles/archive/r0702/28r02/48r02.asp&guid=-37k) - [Cached](#) - [Similar pages](#)

[Smart Computing Article - Hardware Fixes](#)

Both I/O ([input/output](#)) ports and IRQs (interrupt request lines) are communication channels ... and follow the prompts in the Update **Device Driver** Wizard. ...

[www.smartcomputing.com/editorial/article.asp?article=articles/archive/l0904/17l04/17l04.asp](http://www.smartcomputing.com/editorial/article.asp?article=articles/archive/l0904/17l04/17l04.asp) - 41k - [Cached](#) - [Similar pages](#)  
[ [More results from www.smartcomputing.com](#) ]

[IOmgr - Hardware access utility for Windows NT/2000/XP Copyright ...](#)

[input/output ports](#), physical memory and change Windows state permanently

(until ... IOmgr requires CrackNT.sys, a Windows NT/2000/XP **device driver**, ...

[www.it.fht-esslingen.de/~zimmerma/software/iomgr.htm](http://www.it.fht-esslingen.de/~zimmerma/software/iomgr.htm) - 8k -

[Cached](#) - [Similar pages](#)

[Writing device drivers in Linux: A brief tutorial](#)

When a module **device driver** is loaded into the kernel, some preliminary tasks are usually ... reserving interrupts, and reserving [input/output ports](#), etc. ...

[www.freesoftwaremagazine.com/articles/drivers\\_linux?page=0%2C2](http://www.freesoftwaremagazine.com/articles/drivers_linux?page=0%2C2) - 75k -

[Cached](#) - [Similar pages](#)

[Computer Horizons Corp. ::: People. Power. Solutions.](#)

Hardware **Input/Output Ports**. Serial Communications Ports. Parallel Ports ... Install

the **Device Driver** for Windows 9X. Video Cards & Displays ...

[www.computerhorizons.com/ched\\_course\\_detail.asp?cid=1033](http://www.computerhorizons.com/ched_course_detail.asp?cid=1033) - 34k -

[Cached](#) - [Similar pages](#)

[Method and system for directing \*\*device driver\*\* to service multiple ...](#)

a plurality of [input/output ports](#), each port connecting one of said at least one

[input/output](#) device to said **device driver**, said [input/output ports](#) each ...

[www.patentstorm.us/patents/5530872-claims.html](http://www.patentstorm.us/patents/5530872-claims.html) - 19k - [Cached](#) - [Similar pages](#)

[VICAM FAQ](#)

One solution to this problem is to disable the **device driver** in question while ... to

scroll through the setup options until you reach "**Input/Output Ports**. ...

[www.vistaimaging.com/faq.htm](http://www.vistaimaging.com/faq.htm) - 67k - [Cached](#) - [Similar pages](#)

[\[PDF\] ERSP: A Software Platform and Architecture for the Service ...](#)

File Format: PDF/Adobe Acrobat

termed a resource or **device driver**. A driver implementa- tion uses the appropriate operating ... by drawing connections between the [input/output ports](#) of ...

[ieeexplore.ieee.org/iel5/10375/32977/01545468.pdf?arnumber=1545468](http://ieeexplore.ieee.org/iel5/10375/32977/01545468.pdf?arnumber=1545468) -

[Similar pages](#)

[\[PDF\] Dynamic Reconfiguration in Coordination Languages](#)

File Format: PDF/Adobe Acrobat

this case, AtomicMonitor can be seen as the **device driver** for the monitor device. ...

connections between the appropriate [input-output ports](#). ...

[www.springerlink.com/index/9R3F8PD3HT5ULFY4.pdf](http://www.springerlink.com/index/9R3F8PD3HT5ULFY4.pdf) - [Similar pages](#)

[Method and apparatus for using a software configurable connector ...](#)

Also shown on a major sidewall of the housing 1 are [input/output ports](#) 4-8 for ... 17

**device driver** software necessary to control multiple I/O ports 4-9. ...

[www.freepatentsonline.com/5574859.html](http://www.freepatentsonline.com/5574859.html) - 51k - [Cached](#) - [Similar pages](#)

[Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

---

**Web**

Results 1 - 3 of 3 for "**device driver**" and "**input/output ports**" and "**basic device type**". (0.44 seconds)

Tip: Try removing quotes from your search to get more results.

[Generic virtual device driver - Patent 6760784](#)

The **device driver** of claim 4, wherein the **basic device type** is standard VGA. ...

The following table shows **input/output ports** usage for the common video ...

[www.freepatentsonline.com/6760784.html](http://www.freepatentsonline.com/6760784.html) - 76k - [Cached](#) - [Similar pages](#)

[Generic virtual device driver - Patent 20040210911](#)

The **device driver** of claim 22, wherein additional **input/output ports** used by the

**basic device type** are identifiable during installation of the device by a ...

[www.freepatentsonline.com/20040210911.html](http://www.freepatentsonline.com/20040210911.html) - 61k - Supplemental Result -

[Cached](#) - [Similar pages](#)

[Generic virtual device driver](#)

Generic virtual **device driver**. ... The following table shows **input/output ports**

usage for the common video adapters supported by the OS/2 shrink wrap ...

[www.patentopedia.us/goniolens/generic\\_virtual\\_driver.html](http://www.patentopedia.us/goniolens/generic_virtual_driver.html) - 71k - Supplemental

Result - [Cached](#) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 3 already displayed.*

*If you like, you can repeat the search with the omitted results included.*

Download [Google Pack](#): free essential software for your PC

---

"device driver" and "input/output port"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 7 of 7 for "**device driver**" and "**input/output ports**" and "**common standard**". (0.51 seconds)

Tip: Try removing quotes from your search to get more results.

[Voice gateway with downstream voice synchronization - US Patent ...](#)

... modes of a virtual **device driver** for packet based network applications in ... 186

that provides multiple individually configurable **input/output ports**. ...

[www.patentstorm.us/patents/7023868-description.html](http://www.patentstorm.us/patents/7023868-description.html) - 221k -

[Cached](#) - [Similar pages](#)

[Gateway with voice - US Patent 6765931](#)

... 186 that provides multiple individually configurable **input/output ports**. ... For

example, V.22 is a **common standard** used to define operation of 1200 bps ...

[www.patentstorm.us/patents/6765931-description.html](http://www.patentstorm.us/patents/6765931-description.html) - 465k -

[Cached](#) - [Similar pages](#)

[All news from linuxdevices.com section](#)

No, it's just that they don't want a **device driver** out there that they haven't had a ...

RAM and flash memory, cryptography, and various **input/output ports**. ...

[linuxgobiz.com/all-linuxdevices.com](http://linuxgobiz.com/all-linuxdevices.com) - 767k - [Cached](#) - [Similar pages](#)

[\[PDF\] Preface](#)

File Format: PDF/Adobe Acrobat

A **device driver** is a device-specific piece of software, that takes care of ... analog

**input/output ports** and four digital **input/output ports**. ...

[per.physics.helsinki.fi/kirjasto/ont/ah/thesis04.pdf](http://per.physics.helsinki.fi/kirjasto/ont/ah/thesis04.pdf) - [Similar pages](#)

[Colorado IT Support - DHE Computer systems](#)

An installable **device driver** for MS-DOS computers that uses ANSI commands ...

memory, and **input/output ports**—and enables them to transfer information. ...

[www.dhecs.com/glossary.html](http://www.dhecs.com/glossary.html) - [Similar pages](#)

[\[PDF\] Cover Page](#)

File Format: PDF/Adobe Acrobat

Do not use **input/output ports** for both critical and non-critical functions. ...

subsystems and various software layers (operating system, **device driver**, ...

[www.hq.nasa.gov/office/codeq/doctree/871913.pdf](http://www.hq.nasa.gov/office/codeq/doctree/871913.pdf) - [Similar pages](#)

[\[PDF\] The Axon Guide](#)

File Format: PDF/Adobe Acrobat

a **common standard** supported by the Hewlett Packard plotters as well as many

other ... Since this technique makes heavy use of the **input/output ports** of the ...

[www.moleculardevices.com/pdfs/Axon\\_Guide.pdf](http://www.moleculardevices.com/pdfs/Axon_Guide.pdf) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 7 already displayed.*

*If you like, you can [repeat the search with the omitted results included](#).*

Download [Google Pack](#): free essential software for your PC

"device driver" and "input/output ports"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about 42 for "**device driver**" and "**input/output ports**" and **trap** and **poll**. (0.48 seconds)

[PDF] [Florida 2070 Advanced Traffic Controller Minimum Specifications](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

2.6.2.9.2 A **device driver** compatible with the OS-9 SCFMAN shall be ... Parallel **Input/Output Ports**; other Module Circuit Functions (includes muzzle switch); ...  
www.dot.state.fl.us/TrafficOperations/pdf/2070\_999.pdf - [Similar pages](#)

[PDF] [Network Monitoring in Practice](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Many tools periodically **poll** values from interfaces (mostly ... Automatically collect data, compare to thresholds, and send **traps** to your ...  
luca.ntop.org/Teaching/tm2007.pdf - [Similar pages](#)

[DOC] [Recommended Standard of the Joint Committee on the ATC](#)

File Format: Microsoft Word - [View as HTML](#)

The serial **device driver** shall be able to set user options via \_os\_setstat() and ... Module Power Supply, FCU Controller, Parallel **Input/Output Ports**, ...  
www.ite.org/standards/atc/ATC2070\_StandardSpec\_031204.doc - [Similar pages](#)

[PDF] [ATC 2070](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

for status of serial port from the **device driver** via OS9\_os\_gs\_size() function call ... **Input/Output Ports**; other Module Circuit Functions ( includes muzzle switch) ...  
traffincident.org/standards/atc/ATC\_2070Standard1.pdf - [Similar pages](#)

[PDF] [ATC 2070](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

An Async-Communications Serial **Device Driver** (SDD) shall be provided to ... **Input/Output Ports**; other Module Circuit Functions ( includes muzzle switch); ...  
traffincident.org/standards/atc/ATC\_2070StandardSpec.pdf - [Similar pages](#)  
[ [More results from traffincident.org](#) ]

[Hardware component interface for desktop computer management...](#)

A MIB may also contain **trap** definitions. A **trap** is a notification sent by the SNMP agent to the ... Number of **input/output ports**. awoNIC\_IOPortBase ...  
www.patentstorm.us/patents/6480903-description.html - 97k -  
[Cached](#) - [Similar pages](#)

[STMicroelectronics | ST7 Software Library User Manual](#)

Read Only Memory Interrupt Controller **Input/Output Ports** Pulse Width ... 3.x and 2.x The ST7 library package consists of **device driver** library files, ...  
www.st.com/stonline/products/literature/um/11774.htm - 354k -  
[Cached](#) - [Similar pages](#)

[Visual vector display generation of very fast moving elements...](#)

[0119] Audio **input/output ports** 16 are shown as apertures into the housing, ...  
[0399] One or more output devices 1038 are shown with **device driver** 1040. ...  
www.freepatentsonline.com/20060050929.html - 292k - [Cached](#) - [Similar pages](#)

[PDF] [Using DriverLINX With Your Hardware](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The KPCI-PIO Series supports three different **device driver** interfaces to best match ... The KPCI-PIO24 has three digital **input/output ports** that DriverLINX ...  
www.keithley.com/data?asset=11169 - [Similar pages](#)

[PDF] [W83697SF WINBOND I/O](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

or **device driver** update is needed except chip-specific configuration. ... W83697SF provides 60 **input/output ports** that can be individually configured to ...  
www.winbond-usa.com/products/winbond\_products/pdfs/PCIC/w83697sf.pdf -  
[Similar pages](#)



Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

## Web

Results 11 - 20 of about 42 for "**device driver**" and "**input/output ports**" and **trap** and **poll**. (0.10 seconds)

### [PDF] [Sec 1 - Model 2070 Gen Reg](#)

File Format: PDF/Adobe Acrobat

The serial **device driver** shall be able to set user options via ... **Input/Output Ports**; other Module Circuit Functions (includes muzzle jumper); Serial ...  
[www.dot.ca.gov/hq/traffops/electsys/2070/reports/TEES.pdf](#) - [Similar pages](#)

### [PDF] [TRANSPORTATION ELECTRICAL EQUIPMENT SPECIFICATIONS TEES](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The async-communications serial **device driver** shall operate in six modes described ... **Input/Output Ports**; other Module Circuit Functions (includes muzzle ...  
[www.dot.ca.gov/hq/esc/ttsb/electrical/TEES.pdf](#) - [Similar pages](#)

### [PDF] [世新大學管理學院資訊管理學系碩士學位論文指導老師：陳育冠博士陳育亮博士](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

裝置驅動程式(**Device Driver**)稱為OpenIPMI Driver，目的是與BMC 做低階 ... CPU  
除了從記憶體存取資料外，也會從輸入/輸出埠(**Input/Output Ports**)抓取、和傳輸資料。 ...

[192.192.148.77/ETD-db/ETD-search/getfile?URN=etd-0905106-103322&filename=etd-0905106-103322.pdf](#) - [Similar pages](#)

### [PDF] [WINBOND LPC SUPER I/O W83L517D](#)

File Format: PDF/Adobe Acrobat

**device driver** update is needed except chip-specific configuration. ... W83L517D provides 38 **input/output ports** that can be individually configured to ...  
[www.winbond-usa.com/products/winbond\\_products/pdfs/PCIC/w83l517d.pdf](#) - [Similar pages](#)

### [PDF] [Designing Efficient Network Interfaces For System Area Networks](#)

File Format: PDF/Adobe Acrobat

Each Switch3 chip contains **input/output ports**, together with ... a system **trap** calls the ATOLL driver software to deal with the interrupt ...  
[deposit.dbb.de/cgi-bin/dokserv?idn=974092428&dok\\_var=d1&dok\\_ext=pdf&filename=974092428.pdf](#) - [Similar pages](#)

### [PDF] [ST7 Software Library User Manual](#)

File Format: PDF/Adobe Acrobat

The ST7 library package consists of **device driver** library files, the configuration and ... The following are the functions related to **Input/Output ports**. ...  
[www.st.com/stonline/products/literature/um/11774.pdf](#) - [Similar pages](#)

### [PDF] [pdf](#)

File Format: PDF/Adobe Acrobat

software which means no BIOS or **device driver** update is needed except chip-specific ... W83627HF provides 24 **input/output ports** that can be individually ...  
[www.x86-secret.com/pdf/w83627hf.pdf](#) - [Similar pages](#)

### [PDF] [Universal Management Agent: Functions and Integration](#)

File Format: PDF/Adobe Acrobat

Click on the **Input/Output Ports** tab (Figure 62 on page 63) to find information ... mouse you get the **device driver** that is installed (with its name), ...  
[www.redbooks.ibm.com/redbooks/pdfs/sg245294.pdf](#) - [Similar pages](#)

### [PDF] [W83627SF WINBOND I/O](#)

File Format: PDF/Adobe Acrobat

W83627SF provides 42 **input/output ports** that can be individually configured to perform a simple ... Device **Trap**. Timer. Sleep/Wake. State machine. WAK\_STS ...  
[www.ortodoxism.ro/datasheets/WinbondElectronics/mXyzrrtr.pdf](#) - [Similar pages](#)

### [Concise Atari ST 68000 Programmer's Reference Guide](#)

\$0B8, **Trap** #14 vector, 184, Atari ST BIOS extensions ... DMA active until sector

count zero (DMA status register) – do not poll during DMA active. ...  
homepage.ntlworld.com/kryten\_droid/Atari/ST/spg/st\_prog\_guide\_2.htm - 62k -  
Supplemental Result - [Cached](#) - [Similar pages](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [Next](#)

---

"device driver" and "input/output port"

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Search](#)

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

## Web

Results 21 - 30 of about 42 for "**device driver**" and "**input/output ports**" and **trap** and **poll**. (0.21 seconds)

[Split data path fast at-bus on chip circuits systems and methods ...](#)

CPU-independent and **device-driver** transparent system for translating a ...

EPP/ECF 128 to a printer 129, and two serial **input/output ports** SIO 130 and 132.

...

[www.patentstorm.us/patents/5822550-description.html](http://www.patentstorm.us/patents/5822550-description.html) - 655k -

[Cached](#) - [Similar pages](#)

[PDF] [LABORATORY WORK BOOK For The Course CIS-410 Microprocessor ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

event to **trap** and handle these communications events. The OnComm event also.

detects and handles communications errors. •. You can also **poll** for events and ...

[www.neduet.edu.pk/electronics/pdf/labWBs/MP&ALWB.pdf](http://www.neduet.edu.pk/electronics/pdf/labWBs/MP&ALWB.pdf) - Supplemental Result -

[Similar pages](#)

[PDF] [TxDOT Bid Proposal System](#)

File Format: PDF/Adobe Acrobat

(a) The serial **device driver** must be able to set user options via ... Controller Unit;

Parallel **Input/Output Ports**; other Module Circuit Functions ...

[esbd.tbpc.state.tx.us/docs/601/A1073002.PDF](http://esbd.tbpc.state.tx.us/docs/601/A1073002.PDF) - [Similar pages](#)

[PDF] [Infrared Communication for a Wearable Computing and Communication ...](#)

File Format: PDF/Adobe Acrobat

purpose **input/output ports**. Due to its special low-power design it has a typical ...

i.e. the protocol runs as a **device driver**, no modification of existing ...

[www.iaik.tugraz.at/teaching/11\\_diplomarbeiten/archive/wolf.pdf](http://www.iaik.tugraz.at/teaching/11_diplomarbeiten/archive/wolf.pdf) - [Similar pages](#)

[PDF] [ELE3307](#)

File Format: PDF/Adobe Acrobat

the **device driver** is used. This is the appropriate code to control the ... entry to **trap**

illegal combinations of current state and input as appropriate. ...

[www.usq.edu.au/users/leis/courses/ELE3307/sguide.pdf](http://www.usq.edu.au/users/leis/courses/ELE3307/sguide.pdf) - [Similar pages](#)

[PDF] [IBM Director 4.20: Systems Management Guide](#)

File Format: PDF/Adobe Acrobat

might contain **traps** or exceptions. IBM Director Server completed installation before

the system. management bus (SMBus) was detected and the **device driver** ...

[publib.boulder.ibm.com/infocenter/](http://publib.boulder.ibm.com/infocenter/eserver/v1r1/en_US/info/idirinfo/dir420_docs_sysmgt.pdf)

[eserver/v1r1/en\\_US/info/idirinfo/dir420\\_docs\\_sysmgt.pdf](http://eserver/v1r1/en_US/info/idirinfo/dir420_docs_sysmgt.pdf) - [Similar pages](#)

[death of a cult apple computer needs to](#)

Details of the functioning of the UART **input/output ports**, I/O addresses and ... The

Windows portion of the IS/ONE's **device driver** initially fails to work ...

[cs.uni.edu/~okane/source/ISR/computing\\_text.dat](http://cs.uni.edu/~okane/source/ISR/computing_text.dat) - [Similar pages](#)

[PDF] [Printed Documentation](#)

File Format: PDF/Adobe Acrobat

**input/output ports**. Bus types can be ISA, EISA, VESA Local Bus, PCI, and USB. ...

alerts to send these **traps** to an SNMP management console if you have one. ...

[download.landesk.com/support/mgtsuite8/docs/Users8.pdf](http://download.landesk.com/support/mgtsuite8/docs/Users8.pdf) - [Similar pages](#)

[OSIGLO, Glossaire des télécommunications- \[ Translate this page \]](#)

empty **poll** sequence = séquence de sondage à vide (X.42) ... **input/output ports** =

accès d'entrée/sortie (731-05-12); input low/high voltage/current ...

[people.itu.int/~bloud/osiglo.htm](http://people.itu.int/~bloud/osiglo.htm) - 765k - [Cached](#) - [Similar pages](#)

[PDF] [UM10139](#)

File Format: PDF/Adobe Acrobat

Chapter 8: General Purpose **Input/Output ports** (GPIO). Rev. 02 — 25 July 2006 ...

But by the NDIS protocol, **device driver** does know at which location in ...

[www.standardics.nxp.com/.../microcontrollers/](http://www.standardics.nxp.com/.../microcontrollers/)

[pdf/user.manual.lpc2141.lpc2142.lpc2144.lpc2146.lpc2148.pdf](http://pdf/user.manual.lpc2141.lpc2142.lpc2144.lpc2146.lpc2148.pdf) - [Similar pages](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Search

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

## Web

Results 31 - 35 of 35 for "[device driver](#)" and "[input/output ports](#)" and [trap](#) and [poll](#). (0.11 seconds)

[PDF] [UM10139 Volume 1: LPC214x User Manual](#)

File Format: PDF/Adobe Acrobat

Chapter 8: General Purpose **Input/Output ports** (GPIO). Rev. 01 — 15 August

2005 ... But by the NDIS protocol, **device driver** does know at which location in ...

[www.nxp.com/acrobat\\_download/usermanuals/UM10139\\_1.pdf](#) - [Similar pages](#)

From [daemon@vxw.ee.lbl.gov](#) Sun May 1 04:00:26 1994 From: [daemon](#) ...

This board has multiple A-to-D's, D-to-A's, and parallel **input/output ports**. You can get a VxWorks **device driver** along with it as an option. ...

[csg.lbl.gov/vxwexplo/vxwexplo/1994/archive9405](#) - 388k - [Cached](#) - [Similar pages](#)

[PDF] [SNMP Reference Guide](#)

File Format: PDF/Adobe Acrobat

System Resource Group — defines variables for **input/output ports**, memory, interrupts, ... An SNMP **trap** is an asynchronous event indicating that something ...

[support.dell.com/support/edocs/software/](#)

[svradmin/5.0/en/snmp/pdf/OM50\\_SNMP\\_Ref\\_Gude.pdf](#) - [Similar pages](#)

[PDF] [System Administration Volume 1](#)

File Format: PDF/Adobe Acrobat

**Device Driver** Flags. ... your computer called I/O (**input/output**) **ports**. ... If during a **poll**, the SAC does not receive a response (such as ENABLED) ...

[ccur.com/isdmanuals/1PowerMAX%20OS/0890429-](#)

[080\\_System\\_Administration\\_Manual\\_Volume\\_1.pdf](#) - [Similar pages](#)

[Linux.Fibel.org](#) Version 0.6.0- [ [Translate this page](#) ]

Summary: small **poll** for my new operating system Message-ID: ... **Input/Output-Ports**) verwendet. Daneben können Geräte auch Platz im Adressraums des ...

[www.fibel.org/linux/lfo-0.6.0-1/lfo.html](#) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 35 already displayed. If you like, you can [repeat the search with the omitted results included](#).*

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#)

"device driver" and "input/output port"

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google